

TechMaster

Hochsicherheitsschloss | High Security Lock



Produktbeschreibung



Product description



Lock4Safe BV
Maasstraat 3d
NL-7071 VR ULFT
The Netherlands

info@lock4safe.com
www.lock4safe.com

Lock4Safe BV
van-Houten-Str. 1
47533 Kleve
Germany

T +49 (0)2821 973690
F +49 (0)2821 9736969



Hochsicherheit, angepasst an Ihre Bedürfnisse.

Das TechMaster-Tresorschloss ermöglicht es so gut wie alle Ideen unserer Kunden zu realisieren, wenn es um Cash-Security bei Tresoren geht.

Bis zu fünf unabhängige Schließelemente, aus der Ferne bedienen und verwalten über LAN-Verbindung, Einmal-Codes, Bediener- und Zeitschloss-Gruppen: all das und mehr bietet dieses universelle System für den professionell gewerblichen Einsatz.

Zertifizierung

VdS Klasse 2
EN1300 Klasse B
UL Group 1

Hersteller:



FUNKTIONSUMFANG

- ✓ 2 Master, 2 Manager, 1 Geldabholer-Manager
- ✓ 89 Bediener
- ✓ Bedienergruppen
- ✓ Bis zu 40 Bediener können Geldentsorger-Code sein
- ✓ Doppelcode (4-Augen-Prinzip); optional in Gruppen
- ✓ Dallas-Schlüssel (optional)
- ✓ Verzögerungszeit/Wartezeit: 1–99 Minuten;
- ✓ Öffnungszeit/Eingabezeit: 1–19 Minuten
- ✓ Variable Zeitverzögerung
- ✓ Aufzeichnung: 6000 Ereignisse mit Datum und Uhrzeit (Aufzeichnungskapazität abhängig vom ausgewählten Schloss)
- ✓ Stiller Alarm und Fernsperrung (optional)
- ✓ Umgehung der Öffnungsverzögerung per Fernsignal
- ✓ Netzwerk-Fernverwaltung mit TCP/IP-Schnittstelle (optional)
- ✓ 3 Zeitschloss-Wochenprogramme mit 3 Bedienergruppen
- ✓ Je 60 programmierbare Sonderöffnungs- und Schließperioden
- ✓ Sofortige und vorübergehende Zeitsperre
- ✓ Zeit und Zeitschloss mit Tastatur programmierbar
- ✓ Automatische Sommer-/Winterzeit Umstellung
- ✓ Dynamische-Codes
- ✓ Codealterung
- ✓ Bis zu 5 Schlösser an einer Tastatur
- ✓ Manipulationssperre
- ✓ Diagnostik-Modus
- ✓ LAN-Verbindung mit Netzwerkbox



High security, adapted to your needs.

The TechMaster allows to realize just about any ideas and requirements our customers have, when it comes to cash security.

Up to five locks, remotely operated through LAN connection, one-time codes (OTC), multiple timelock groups: all this and many more options offers TechMaster – safe lock for professional commercial use.



Certification

VdS Class 2
EN1300 Class B
UL Group 1

Manufacturer:




FUNCTIONAL SCOPE

- ✓ 2 Masters, 2 Manager, 1 Override manager
- ✓ 89 users
- ✓ User groups
- ✓ Time delay override users, up to 40 of the users available in groups
- ✓ Dual mode users in groups (optional)
- ✓ Electronic key for users (Dallas key) (optional)
- ✓ Opening/Time delay: 1-99 minutes;
- ✓ Release/Entry period: 1-19 minutes
- ✓ Variable time delay
- ✓ Audit: 6000 events with time and date (audit capacity depends on the lock variant)
- ✓ Silent alarm (with interface)
- ✓ Remote disable functions (with interface)
- ✓ Remote network management with TCP/IP interface (optional)
- ✓ Weekly time lock with 3 user group tables
- ✓ 60 deviating closing or opening periods
- ✓ Immediate and temporary timelock
- ✓ Time and time lock programmed with the keypad
- ✓ Automatic DST
- ✓ Dynamic codes
- ✓ Code expiry
- ✓ Multi lock (up to 5 locks)
- ✓ Manipulation protection
- ✓ Diagnostic mode
- ✓ LAN connection with network interface



Maße/Dimensions



Stromversorgung/ Power supply

- ✓ 9 V Alkaline-Batterie in der Tastatur
9 V alkaline battery in the entry unit
- ✓ 6x 1,5 V Alkaline-Batterien in großem Batteriefach
6x 1,5 V alkaline battery in large battery compartment
- ✓ Conn-Box 230 V
Conn-Box 230 V

B/W	H/H	T/D
83	135	35

Zubehör/Accessories




- ✓ Input-/Output-Modul
- ✓ *Input/Output modul*



- ✓ Conn-Box
- ✓ *Conn-Box*



- ✓ Dallas-Schlüssel
- ✓ *Dallas Key*



- ✓ COREN Netzwerk-Software
- ✓ *COREN Netzwerk-Software*

Verschlussoptionen/Locking options



- ✓ Rotobolt/Swingbolt



- ✓ Straightbolt



- ✓ Motorbolt



- ✓ Springbolt